

RESEARCH

Open Access



Engineering and application of synthetic *nar* promoter for fine-tuning the expression of metabolic pathway genes in *Escherichia coli*

Hee Jin Hwang¹, Sang Yup Lee² and Pyung Cheon Lee^{1*}

Abstract

Background: Promoters regulate the expression of metabolic pathway genes to control the flux of metabolism. Therefore, fine-tuning of metabolic pathway gene expression requires an applicable promoter system. In this study, a dissolved oxygen-dependent *nar* promoter was engineered for fine-tuning the expression levels of biosynthetic pathway enzymes in *Escherichia coli*. To demonstrate the feasibility of using the synthetic *nar* promoters in production of biochemicals in *E. coli*, the D-lactate pathway consisting of one enzyme and the 2,3-butanediol (BDO) pathway consisting of three enzymes were investigated.

Results: The spacer sequence of 15 bp between the – 35 and – 10 elements of the upstream region of the wild-type *nar* promoter was randomized, fused to the GFP gene, transduced into *E. coli*, and screened by flow cytometry. The sorted synthetic *nar* promoters were divided into three groups according to fluorescence intensity levels: strong, intermediate, and weak. The selected three representative *nar* promoters of strong, intermediate, and weak intensities were used to control the expression level of the D-lactate and 2,3-BDO biosynthetic pathway enzymes in *E. coli*. When the *ldhD* gene encoding D-lactate dehydrogenase was expressed under the control of the strong synthetic *nar* promoter in fed-batch cultures of *E. coli*, the D-lactate titers were 105.6 g/L, 34% higher than those using the wild-type promoter (79.0 g/L). When the three 2,3-BDO pathway genes (*ilvBN*, *aldB*, and *bdh1*) were expressed under the control of combinational synthetic *nar* promoters (strong–weak–strong) in fed-batch cultures of *E. coli*, the titers of 2,3-BDO were 88.0 g/L, 72% higher than those using the wild-type promoter (51.1 g/L).

Conclusions: The synthetic *nar* promoters, which were engineered to have strong, intermediate, and weak intensities, were successfully applied to metabolic engineering of D-lactate and 2,3-BDO pathways in *E. coli*. By controlling expression levels of D-lactate and 2,3-BDO pathway enzymes using the synthetic *nar* promoters, the production of D-lactate and 2,3-BDO was increased over that using the wild-type promoter by 34 and 72%, respectively. Thus, this synthetic promoter module system will support the improved production of biochemicals and biofuels through fine-tuning of gene expression levels.

Keywords: *nar* promoter, Oxygen-dependent promoter, Lactate, 2,3-Butanediol, Promoter engineering

*Correspondence: pcheon@ajou.ac.kr

¹ Department of Molecular Science and Technology, Ajou University, Woncheon-dong, Yeongtong-gu, Suwon 16944, South Korea
Full list of author information is available at the end of the article



Background

Synthetic biology aims to develop desired biological system through the rational design of synthetic parts/modules, including promoters, RNAs, and scaffolds [1–4]. Gene expression can be controlled utilizing several factors, such as promoters, transcription factors, and plasmid copy numbers [5, 6]. Among them, promoter engineering has been proposed as one of the most efficient ways of fine-tuning transcriptional control in *Escherichia coli*, *Corynebacterium glutamicum*, *Bacillus subtilis*, and yeasts [3–10]. For example, the *E. coli* strain with engineered L-phenylalanine-responsive promoter could produce fourfold higher titer of phenylalanine than wild-type promoter [11], and the engineered *tac* promoter library could decrease leakage of antibody fragment expression in *E. coli* [12].

Recently, a dissolved oxygen (DO)-dependent *nar* promoter was successfully applied to express the D-lactate, 2,3-butanediol (BDO), and 1,3-propanediol (PDO) pathway enzymes in *E. coli* [13]. However, when a multienzyme biosynthetic pathway was reconstructed in heterologous host cells, individual expression of each pathway enzyme needed to be finely controlled; assembly or organization of multienzyme systems could significantly influence metabolic channeling, and thus suboptimal assembly or organization would cause accumulation of unwanted metabolic intermediates in multi-step enzyme reactions [14, 15]. Even single-enzyme metabolic pathways also should be considered for fine-tuning of expression, because expression level frequently affects end-product formation due to inclusion body formation [16].

Compared to other commonly used strong promoters such as *lac* or *araBAD*, the intensity of the wild-type *nar* promoter is relatively weak [13]; therefore, engineering of the wild-type *nar* promoter was required for fine control of target pathway gene expression. In this study, in order to generate synthetic *nar* promoters of diverse strengths, a synthetic *nar* promoter library was constructed by randomization of the spacer region sequence (15 bp) located between the consensus sequence –35 and –10 elements of the wild-type *nar* promoter (Fig. 1a). Characterization of the selected three synthetic promoters showing weak, intermediate, and strong intensities was performed through transcriptional expression level and GFP fluorescence intensity assays. Then, the selected three synthetic promoters were applied to the expression of the D-lactate pathway consisting of one gene and the 2,3-BDO biosynthesis pathway consisting of three genes (Fig. 1b). We demonstrated that the production of D-lactate and 2,3-BDO was improved by tuning the expression of their pathway genes under three different strengths of the synthetic *nar* promoters in *E. coli*.

Results

Construction, screening, and strength analysis of a synthetic *nar* promoter library of diverse strengths

The 15-bp spacer region sequence between the –35 and –10 elements of the wild-type *nar* promoter was randomized using degenerated primers to construct a synthetic *nar* promoter library of diverse strengths. The randomized synthetic promoters were fused by PCR to a DNA fragment consisting of a Shine–Dalgarno sequence, spacer, and His₆-tagged GFPm as a reporter protein for screening based on the fluorescence intensity of the expressed GFPm (Fig. 1a). The randomized promoter fragments were then ligated with a pSTVM plasmid (Table 1) and then transduced into *E. coli* TOP10 cells.

The library (4.59×10^{10} cell size), showing diverse fluorescence intensities, was sorted into three groups (low, intermediate, and high strength) by FACS in three rounds of sorting. The 1st round sorting was carried out with two collections of the upper and lower 1% of fluorescence intensity signals. The collected cells were grown on LB+cm agar plates and submitted to 2nd round sorting. After repeating this for 3rd round sorting, clones showing high (a red line in Fig. 2a), immediate (a blue line), and low (a yellow line) fluorescence intensities were collected and further analyzed.

After reconfirmation of the GFP fluorescence intensities of 300 randomly selected clones from the 3 groups (100 clones from each group), fluorescences of 68 distinguishable clones were measured and compared based on relative fluorescence units (RFU)/OD₆₀₀ (Fig. 2b). Based on the normalized values of RFU/OD₆₀₀, synthetic *nar* promoters were grouped into strong (>5000 RFU/OD₆₀₀), intermediate (1000–2000 RFU/OD₆₀₀), and weak (<1000 RFU/OD₆₀₀) groups. From each group, a representative synthetic *nar* promoter of strong (S3-2-64), intermediate (W2U-30), and weak (W2L-29) fluorescence was chosen for further analysis. The strength of the strong synthetic *nar* promoter (S3-2-64) and the intermediate *nar* promoter (W2U-30) were 19.8 and 6.2 times higher than that of the wild-type *nar* promoter, respectively, while the strength of the weak *nar* promoter (W2L-29) was 1.8 times weaker than that of the wild-type *nar* promoter based on values of RFU/OD₆₀₀.

Characterization of the three representative synthetic *nar* promoters

The three representative *nar* synthetic promoters were then characterized in detail by analyzing levels of transcription, protein expression, and fluorescence of GFPm (Fig. 3a). In transcriptional analysis, qRT-PCR was carried out with a *cysG* gene encoding siroheme synthase [17] as a reference in order to evaluate $\Delta\Delta C_t$ values of GFPm expression under the control of the wild-type,





Fig. 1 **a** Schematic diagram for construction of the synthetic *nar* promoter library. The 15-bp spacer sequence (indicated by consecutive 15 Ns) between the -35 and -10 elements of the wild-type *nar* promoter was randomized. An FNR binding site is shown in italics; the -35 and -10 elements are indicated by underlines; a red arrow indicates a transcription start site (+1); SD, Shine-Dalgarno sequence, GFPm; modified green fluorescence protein with His₆ tag. **b** Reconstructed D-lactate and 2,3-butanediol (2,3-BDO) biosynthesis pathways in *E. coli*. The D-lactate pathway (red) consists of *ldhD* gene encoding D-lactate dehydrogenase (LDHD); the 2,3-BDO pathway (blue) consists of *ilvBN* gene encoding acetohydroxybutanoate synthase/acetolactate synthase (*ilvBN*), *aldB* gene encoding acetolactate decarboxylase (AldB), and *bdh1* encoding butanediol dehydrogenase (BDH1)

strong, intermediate, and weak *nar* promoters. The $\Delta\Delta C_t$ values of the strong, intermediate, and weak *nar* promoters were 29.4 ± 5.6 , 8.4 ± 1.0 , and 2.3 ± 0.4 , respectively. Unexpectedly, the $\Delta\Delta C_t$ value of the weak *nar* promoter was positive, indicating a higher transcription level than that of the wild-type *nar* promoter. Next, protein expression levels were examined by western blotting with endogenous GAPDH as a reference. The protein expression levels of GFPm under the control of the strong, intermediate, and weak *nar* promoters were approximately 19.7, 7.11, and 0.37 times higher than that of the wild-type *nar* promoter. Notably, the protein expression levels of the strong and intermediate *nar* promoters were 4.6 and 1.7 times higher, respectively, than that of the constitutive *lac* promoter. Finally, the fluorescence intensities of GFPm under the control of the strong,

intermediate, and weak *nar* promoters were $10,017 \pm 915$, 2305 ± 360 , and 218 ± 18 RFU/OD₆₀₀, respectively. The randomly mutated spacer regions of the nine *nar* promoters including three representatives were sequenced and compared. One distinguishable difference between the synthetic and wild-type *nar* promoters was a GC content in the spacer sequences: lower GC contents were observed in all synthetic promoters (strong: 33.3%; intermediate: 40%; weak: 33.3%) than in the wild-type *nar* promoter (60%) (Fig. 3b). A conserved sequence (GTN[A/G]N) located between the -24 and -20 positions was observed in seven clones representing intermediate and weak promoters, but not in that of the strong promoter. It has been shown that strong promoters tend to have AT-rich spacers, which help flexibility and bendability of DNA structures [18]. This is true for the strong

Table 1 Bacterial strains and plasmids used in this study

Strains and plasmids	Relevant properties	Source or reference
Strains		
<i>E. coli</i> TOP10	F- <i>mcrA</i> Δ(<i>mrr-hsdRMS-mcrBC</i>) φ80 <i>lacZ</i> Δ <i>M15</i> Δ <i>lacX74</i> <i>nupG recA1 araD139</i> Δ(<i>ara-leu</i>)7697 <i>galE15 galK16 rpsL(Str^R) endA1</i>	Invitrogen
W023	W Δ <i>ldhA</i> Δ <i>pf1B</i> Δ <i>adhE</i> Δ <i>lpdA::K.p. lpdE354 K</i> Δ <i>mdh</i> Δ <i>arcA</i> <i>gltAR164L</i>	[13, 21]
<i>Lactobacillus citreum</i>	Source for <i>ldhD</i>	KCTC3721
<i>Lactococcus lactis</i> subsp. <i>lactis</i>	Source for <i>aldB</i>	KCTC3899
<i>Saccharomyces cerevisiae</i> S288c	Source for <i>bdh1</i>	ATCC 204508
Plasmids		
pUCM	Cloning vector modified from pUC19; constitutive <i>lac</i> promoter, Ap ^R	[23]
pUCM- <i>gfpm</i>	Constitutive expressed <i>gfpm</i> gene with <i>lac</i> promoter	This study
pUCN	Cloning/expression vector having inducible wild-type <i>nar</i> promoter, Amp ^R	[13]
pUCN- <i>gfpm</i>	Inducible expressed <i>gfpm</i> gene with <i>nar</i> promoter	This study
pQE- <i>gfpm</i>	Inducible expressed <i>gfpm</i> gene with T5 promoter	[22]
pUCNr	Cloning/expression vector having <i>rop</i> gene and wild-type <i>nar</i> promoter, Amp ^R	This study
pUCNrS	Cloning/expression vector having <i>rop</i> gene and strong <i>nar</i> promoter (S3-2-64), Amp ^R	This study
pUCNrI	Cloning/expression vector having <i>rop</i> gene and intermediate <i>nar</i> promoter (W2U-30), Amp ^R	This study
pUCNrW	Cloning/expression vector having <i>rop</i> gene and weak <i>nar</i> promoter (W2L-29), Amp ^R	This study
NrSL	Inducible expressed <i>ldhD</i> gene from <i>L. citreum</i> on pUCNrS	This study
NrIL	Inducible expressed <i>ldhD</i> gene from <i>L. citreum</i> on pUCNrI	This study
NrWL	Inducible expressed <i>ldhD</i> gene from <i>L. citreum</i> on pUCNrW	This study
NrSi	Inducible expressed <i>ilvBN</i> gene from <i>E. coli</i> on pUCNrS	This study
NrIi	Inducible expressed <i>ilvBN</i> gene from <i>E. coli</i> on pUCNrI	This study
NrWi	Inducible expressed <i>ilvBN</i> gene from <i>E. coli</i> on pUCNrW	This study
NrSa	Inducible expressed <i>aldB</i> gene from <i>L. lactis</i> with strong <i>nar</i> promoter	This study
NrIa	Inducible expressed <i>aldB</i> gene from <i>L. lactis</i> with intermediate <i>nar</i> promoter	This study
NrWa	Inducible expressed <i>aldB</i> gene from <i>L. lactis</i> with weak <i>nar</i> promoter	This study
NrSb	Inducible expressed <i>bdh1</i> gene from <i>S. cerevisiae</i> with strong <i>nar</i> promoter	This study
NrIb	Inducible expressed <i>bdh1</i> gene from <i>S. cerevisiae</i> with intermediate <i>nar</i> promoter	This study
NrWb	Inducible expressed <i>bdh1</i> gene from <i>S. cerevisiae</i> with weak <i>nar</i> promoter	This study
pSTVM2	Cloning/expression vector removing <i>lac</i> promoter, Cm ^R	[13]
pSTVM2- SNPL- <i>gfpm</i>	<i>gfpm</i> expression vector with synthetic <i>nar</i> promoter library	This study
pSTVM- <i>gfpm</i>	Constitutive expressed <i>gfpm</i> gene with constitutive <i>lac</i> promoter on pSTVM2	This study
Ni	Inducible expressed <i>ilvBN</i> gene with wild-type <i>nar</i> promoter on pSTVM2	[13]
Si	Inducible expressed <i>ilvBN</i> gene with strong <i>nar</i> promoter on pSTVM2	This study
Ii	Inducible expressed <i>ilvBN</i> gene with intermediate <i>nar</i> promoter on pSTVM2	This study
Wi	Inducible expressed <i>ilvBN</i> gene with weak <i>nar</i> promoter on pSTVM2	This study
NiNa	Individually inducible expressed <i>ilvBN</i> and <i>aldB</i> genes with wild-type <i>nar</i> promoter on pSTVM2	[13]
SiSa	Individually inducible expressed <i>ilvBN</i> and <i>aldB</i> genes with strong <i>nar</i> promoter on pSTVM2	This study
IiIa	Individually inducible expressed <i>ilvBN</i> and <i>aldB</i> genes with intermediate <i>nar</i> promoter on pSTVM2	This study
SiWa	Individually inducible expressed <i>ilvBN</i> with strong promoter and <i>aldB</i> with weak <i>nar</i> promoter on pSTVM2	This study
NNN	Inducible expressed <i>ilvBN</i> , <i>aldB</i> , and <i>bdh1</i> genes under each <i>nar</i> promoter on pSTVM2	[13]
SWS	Individually inducible expressed <i>ilvBN</i> with strong promoter, <i>aldB</i> with weak promoter, and <i>bdh1</i> with strong promoter	This study




nar promoter because it has AT-rich spacers and lacks the conserved sequence present in the weaker promoters.

Comparison of D-lactate production with synthetic *nar* promoters of different strengths

In order to investigate the effect of *nar* promoter strength on metabolic pathway flux in *E. coli*, a D-lactate pathway consisting of one D-lactate dehydrogenase was first chosen. The *ldhD* gene encoding D-lactate dehydrogenase from *L. citreum* was cloned into pUCNrS, pUCNrI,

pUCNrW, and pUCN (Table 1), to be expressed under the control of the four *nar* promoters: strong, intermediate, weak, and wild-type. The four *ldhD* gene-expression plasmids (NrSL, strong; NrIL, intermediate; NrWL, weak; NrL, wild-type) were transduced into *E. coli*, and then the four recombinant *E. coli* strains were microaerobically grown in flasks containing 20 g/L glucose as a carbon source [13]. After a 20-h cultivation, D-lactate titers were measured to be 18.6 ± 0.6 in *E. coli* having NrL, 18.7 ± 0.4 in NrSL, 18.5 ± 0.4 in NrIL, and 18.3 ± 0.1



and a for *aldB*) were combined to produce 9 expression vectors (Fig. 5a).


When 10 expression modules including a positive control module Ni–Na (*ilvBN* and *aldB* expressed with a wild-type *nar* promoter) were expressed in flask cultures of *E. coli*, the expression of the *ilvBN* gene with strong and intermediate synthetic *nar* promoters (Si and Ii) produced an average of 6.30 g/L of acetoin regardless of promoter strength for expressing the *aldB*

gene. However, the expression of *ilvBN* with the weak *nar* promoter (Wi) produced the lowest acetoin production (3.4 ± 0.3 g/L) when the *aldB* gene was coexpressed with the weak *nar* promoter (Wa) (Fig. 5b). Unexpectedly, when a heterologous acetoin pathway was reconstructed in *E. coli*, the end-product acetoin was to a limited degree transformed into 2,3-BDO by unknown factors [19]. Therefore, when the total summed amount of acetoin and 2,3-BDO produced by combination of the 10 modules was taken into consideration, Si–Wa and Ii–Ia combinations exhibited better production than the others (8.4 ± 0.5 and 8.1 ± 0.6 g/L, respectively).

Next, the two selected acetoin-producing combination modules, Si–Wa and Ii–Ia, were assembled as independent expression modules into one plasmid pSTVM2, resulting in SiWa and IiIa (Table 1). In order to reconstruct a 2,3-BDO pathway on the two-plasmid system, SiWa and IiIa were coexpressed with *bdh1* from *S. cerevisiae* under the control of the 3 synthetic *nar* promoters (6 expression combinations: Si, Ii, Wi, Sa, Ia, Wa, Sb, Ib, and Wb, where S stands for strong, I for intermediate, W for weak, i for *ilvBN*, a for *aldB*, and b for *bdh1*; Fig. 6a) in flask cultures. Among seven complementations including a wild-type *nar* promoter module (NiNa–Nb), the SiWa–Sb combination module produced the highest titer of 2,3-BDO (9.7 ± 0.2 g/L), followed by the SiWa–Wb module (Fig. 6b). This best combination modules along with the wild-type *nar* promoter module as a positive control were then assembled as an independent expression module into one plasmid pSTVM2, resulting in SWS and NNN. After fed-batch cultivation of *E. coli* expressing NNN and SWS, the SWS module produced 88.0 g/L of 2,3-BDO (Fig. 6c), while the NNN module produced 51.1 g/L of 2,3-BDO (Fig. 6d). This fine-tuning of each 2,3-BDO pathway enzyme expression enhanced the 2,3-BDO titer by 72%. Even though conversion yields (g/g-glucose) were similar [0.33 (NNN) vs. 0.35 (SWS)], volumetric productivity of 2,3-BDO obtained by expressing SWS was 1.87 g/L/h, which was 75% higher than the 1.07 g/L/h obtained by expressing NNN.

Discussion


A promoter is one cellular strategy for controlling the flux of metabolism by regulating the expression of metabolic pathway genes. Therefore, fine-tuning of metabolic pathway gene expression requires an applicable promoter system. In our previous study, a DO-dependent *nar* promoter was successfully applied to control expressions of biochemical biosynthetic pathway enzymes in *E. coli* [13]. However, more fine-tuning of expressions of biochemical biosynthetic pathway enzymes is necessary to enhance yield and titer of a target biochemical or



biofuel by metabolic flux channeling. Therefore, in this study, 3 synthetic *nar* promoters showing weak (W2L-29), intermediate (W2U-30), and strong (S3-2-64) intensities were constructed by randomization of the spacer region sequence (15 bp) located between the consensus sequence -35 and -10 elements of the wild-type *nar* promoter (Fig. 1a). Analyses of transcription by qRT-PCR, protein expression by western blotting, and fluorescence by a GFPm reporter protein assay were in a good correlation with the apparent strengths of the 3 synthetic *nar* promoters (Fig. 3a). Sequence analysis showed that these synthetic *nar* promoters have relatively higher AT contents than the wild-type *nar* promoter and higher variations at the -24, -20, and -14 sequence sites

(Fig. 3b). The observed features of the synthetic *nar* promoters are well supported by other research reporting that the AT-rich sequences of the spacer region affected the strength of the promoter through structural changes [18, 20].

To evaluate the general use of synthetic promoters in biochemical production, the 3 synthetic *nar* promoters were used to express D-lactate and 2,3-BDO pathway enzymes. Among the 3 synthetic *nar* promoters, the expression of the *ldhD* gene under the control of the strong synthetic *nar* promoter on a low-copy plasmid produced the highest amount (105.6 g/L) of D-lactate by fed-batch fermentation. This titer is slight lower than the 113.1 g/L of D-lactate which was obtained



by fed-batch fermentation [13] by expression of the *ldhD* gene with the wild-type *nar* promoter on a high-copy plasmid. This suggests that the *ldhD* expression level may be highly correlated with titer of D-lactate. The correlation of expression level and production titer was also high in the production of 2,3-BDO. In a similar manner to D-lactate pathway gene expression, each of the three 2,3-BDO biosynthesis pathway genes (*ilvBN*, *aldB*, and *bdh1*) were modified to be under

the control of the synthetic *nar* promoters of different strengths and combinatorially expressed. In the case of the acetoin pathway, which is a precursor of 2,3-BDO, controlling *ilvBN* gene expression was critical in biosynthesis flux because the expression of *ilvBN* with a weak *nar* promoter resulted in lower titers of acetoin than expression with strong or intermediate promoters regardless of the promoter strength for expressing the *aldB* gene. The acetoin pathway was further extended

to 2,3-BDO by controlling expression of the *bdh1* gene with the 3 synthetic *nar* promoters. The best combinatorial expression module for 2,3-BDO was a strong promoter for *ilvBN* (Si), weak promoter for *aldB* (Wa), and strong promoter for *bdh1* (Sb). The expression module (Si + Wa + Sb) produced 88.0 g/L of 2,3-BDO in fed-batch fermentation, which was 72% higher than the 51.1 g/L obtained by expressing the 3 enzymes with a wild-type *nar* promoter.

Conclusions

In this study, the synthetic *nar* promoters, which were engineered to have strong, intermediate, and weak intensities, were successfully applied to metabolic engineering of the D-lactate and 2,3-BDO pathways in *E. coli*. By controlling expression levels of one D-lactate enzyme and three 2,3-BDO pathway enzymes using the synthetic *nar* promoters, the production of D-lactate and 2,3-BDO was increased by 34 and 72%, respectively, compared with production using a wild-type *nar* promoter. This synthetic *nar* promoter module system will support the improved production of biochemicals and biofuels through the fine-tuning of gene expression levels in *E. coli*.

Methods

Strains

The *E. coli* TOP10 (Invitrogen, USA) strain was used for cloning and maintenance of plasmids. The *E. coli* W023 [13, 21] strain was used to produce D-lactate, acetoin, and 2,3-BDO in flask and fed-batch fermentation. The bacterial strains used in this study are listed in Table 1.

Construction of the randomized *nar* promoter library

A *gfpm* gene encoding GFPm was amplified by PCR from pQE-*gfpm* [22] with gene-specific primers including ribosome binding site (RBS) and restriction enzyme sites, and then the PCR product was inserted between *XmaI* and *NotI* sites downstream of a wild-type *nar* promoter on pUCN [13] and pUCM plasmids [23]. In order to randomize the spacer sequence (15 bp) between the -10 and -35 elements of the *nar* promoter, two primers, *XmaI*-SNPL-*gfpm*-F and *SphI*-*gfpm*-R (Table 2) were designed. The *XmaI*-SNPL-*gfpm*-F primer contains a restriction enzyme site (*XmaI*), the -35 element, randomized 15-bp sequences (N_{15}), the -10 element, and the *gfpm*-specific sequence in order. The *SphI*-*gfpm*-R primer contains a restriction enzyme site (*SphI*) and the *gfpm*-specific sequence. The randomized *nar* promoter region and *gfpm* gene amplified by PCR were cloned into the *XmaI* and *SphI* sites of the pSTVM2 plasmid [13], generating pSTVM2-SNPL-*gfpm*. The pSTVM2-SNPL-*gfpm* plasmids were transduced into *E. coli* TOP10 cells

by electroporation and the transformants were incubated in 40 mL Luria-Bertani (LB) medium supplemented with 30 µg/L chloramphenicol [24] at 30 °C with shaking at 100 rpm.

Screening of the randomized *nar* promoter library

Escherichia coli cells harboring pSTVM2-SNPL-*gfpm* were cultivated in 40 mL LB medium supplemented with 50 µg/mL Cm in a 100-mL flask at 30 °C with shaking at 100 rpm for 12 h. Cells were harvested by centrifugation at 7000 rpm for 10 min at 4 °C and washed twice with phosphate buffered saline (PBS, 137 mM NaCl, 2.7 mM KCl, 10 mM Na₂HPO₄, and 2 mM KH₂PO₄, pH 7.4). After washed cells were resuspended with PBS buffer, cells were subjected to a fluorescent activated cell sorter (FACS; MoFlo XDP, Beckman Coulter, FL). FACS-sorted cells were directly poured into fresh LB agar plates containing Cm (50 µg/mL) and incubated at 30 °C for 12 h. Cells scraped from the plates were then cultivated in 40 mL LB medium containing Cm (50 µg/mL) in a 100-mL flask and then subjected to the next round of FACS sorting following the same procedure mentioned above. After the third round of FACS sorting, colonies on LB agar plates were randomly selected to cultivate in 200 µL of LB+Cm medium in a 96-deep-well plate at 30 °C with shaking at 100 rpm overnight.

Construction of plasmids

The nucleotide sequences of the primers used in construction of plasmids are listed in Table 2. Plasmid pUCN [13] was modified by adding the *rop* gene, which resulted in a low-copy number plasmid pUCNr with a wild-type *nar* promoter. Next, the wild-type *nar* promoter in pUCNr was replaced by one of the three representative synthetic *nar* promoters [S3-2-64 (strong), W2U-30 (moderate), W2L-29 (weak)] and amplified by PCR with each synthetic promoter-specific reverse primer and phosphorylated -10Pnar-F primer. The constructed plasmids were named pUCNrS (for S3-2-64), pUCNrI (for W2U-30), and pUCNrW (for W2L-29, weak promoter). The reporter *gfpm* gene was amplified by PCR from pQE-*gfpm* [22] with primers (*XmaI*-*gfpm*-F and *NotI*-*gfpm*-R) and cloned downstream of the *lac* promoter of pUCM, generating pUCM-*gfpm*. To obtain pSTVM-*gfpm*, the PCR-amplified *gfpm* gene containing the *lac* promoter was inserted between the *Bam*HI and *Eco*RI sites of the pSTVM2 plasmid [12]. The *ldhD*-encoding D-lactate dehydrogenase of *Leuconostoc citreum*, *ilvBN*-encoding acetohydroxy acid synthase of *E. coli*, *aldB*-encoding acetolactate decarboxylase of *Lactococcus lactis*, and *bdh1*-encoding butanediol dehydrogenase from *Saccharomyces cerevisiae* were amplified by PCR from the genomic DNAs of each strain, and then

2,3-BDO were inoculated in 4 mL LB medium supplemented with 50 µg/mL Cm or/and 100 µg/mL ampicillin (Ap) at 37 °C overnight with shaking at 250 rpm. For flask cultivation, 100-mL flasks were filled with 40 mL LB medium containing 20 g/L glucose and appropriate antibiotics, and then were inoculated with 2% (v/v) seed culture. For D-lactate production, pH of the culture media was controlled by adding 10 g/L CaCO₃. A *nar* promoter was induced by reducing shaking speed from 250 to 100 rpm when recombinant *E. coli* cells grew to an OD₆₀₀ of 1.0 at 30 °C at 250 rpm. For bioreactor fermentation, fed-batch culturing was carried out with an initial culture volume of 1.0 L of modified R [27] medium containing 20 g/L glucose, 5 g/L yeast extract, and the required antibiotics in a 3.0-L jar bioreactor BIOSTAT B (Sartorius, Germany) [28]. The temperature was maintained at 30 °C and pH was automatically controlled at 7.0 by adding 5 N NH₄OH. The DO level was controlled by supplying air or a mixture of air and pure oxygen gas. In order to induce *nar* promoters, cells were grown at DO level > 80% (aerobic phase) until an OD₆₀₀ of 10.0 and then immediately DO level was decreased to < 1–2% (microaerobic). The feeding solution consisting of 800 g/L glucose, 50 g/L yeast extract, 15 g/L tryptone, 15 g/L MgSO₄·7H₂O, and 5 g/L KH₂PO₄ [29] was periodically added when the residual glucose concentration was below 5–10 g/L. Cell growth was monitored at a wavelength of 600 nm with a SPECTRAMax PLUS384 (Molecular Devices, USA).

Transcriptional analysis

Cells were grown in LB medium containing 2% (w/v) glucose until mid-exponential growth phase, and total RNA was extracted using Hybrid-R RNA purification kit (GeneAll biotechnology, Korea) according to the manufacturer's instructions. Quantitative reverse transcription PCR (qRT-PCR) was performed using a Rotor-Gene Q (Qiagen, Germany) and SensiFAST™ SYBR No-ROX One-Step Kit (Bioline, USA). Solutions of 5.0 µL of 2× SensiFAST™ SYBR No-ROX One-Step mix, 0.1 µL of reverse transcriptase, 0.2 µL of RNase inhibitor, 0.4 mM forward and reverse primers (gfpm-qPCR-F and gfpm-qPCR-R), 2.0 µL of isolated total RNA (10 ng/µL), and 1.9 µL of diethylpyrocarbonate (DEPC)-treated water were mixed for each qRT-PCR reaction and qRT-PCR was performed as follow: 45 °C for 10 min, 95 °C for 2 min, and then 40 cycles of 95 °C for 5 s, 60 °C for 10 s, and 72 °C for 5 s. The value of $\Delta\Delta C_t$ was averaged from triplicate measurements. The *cysG* gene encoding siroheme synthase was used as a reference gene and the genes expressed by the wild-type *nar* promoter were used as calibrators.

Western blotting analysis

GFPm expression under the control of *nar* promoters was analyzed by western blotting. The harvest cells were washed and resuspended in 20 mM Tris–HCl (pH 8.0), and then disrupted by sonication. After centrifugation, supernatants were collected, quantified using the Bradford method, and then analyzed by 15% (w/v) SDS-PAGE. For immunodetection of His-tagged GFPm, a monoclonal anti-polyhistidine antibody (Sigma-Aldrich, USA) and horseradish peroxidase-conjugated anti-mouse IgG (Pierce, USA) were used according to the manufacturer's instructions. GAPDH was used as a reference gene for quantification of proteins.

Fluorescence analysis

After cells were grown under aerobic conditions, GFPm protein expression under the control of *nar* promoters was induced by lowering DO levels through changing culture rpm of 250–100. Harvested cells were washed and resuspended in 1 mL phosphate buffered saline (PBS, 137 mM NaCl, 2.7 mM KCl, 10 mM Na₂HPO₄, and 2 mM KH₂PO₄, pH 7.4) and the fluorescence intensity of the reporter GFPm protein was measured using a SPECTRAMax Gemini plate reader (Molecular Devices, USA) with excitation at 470 nm and emission at 510 nm. Cytometric analysis was performed using a BD FACS Calibur flow cytometer (BD Biosciences, USA). GFPm was excited using a 15-mW argon ion laser (488 nm) and fluorescence emission was detected using the FL1 channel (530/30 bandpass filter).

Metabolite analysis

The concentrations of glucose, D-lactate, 2,3-BDO, and other metabolites were determined using an Agilent Technologies 1200 high-performance liquid chromatography equipped with a refractive index detector (Agilent, USA) and an Aminex HPX-87H column (Bio-Rad, USA) at a flow rate of 0.7 mL/min and column temperature of 50 °C using 4 mM H₂SO₄ as the mobile phase.

Abbreviations

GFP: green fluorescent protein; 2,3-BDO: 2,3-butanediol; FACS: fluorescent activated cell sorter; RFU: relative fluorescence unit.

Authors' contributions

HJH participated in the experimental design and work, data analysis, and writing of the manuscript. SYL assisted in the experimental design. PCL assisted in the experimental design, the experimental work, data analysis, and writing of the manuscript. All authors read and approved the final manuscript.

Author details

¹ Department of Molecular Science and Technology, Ajou University, Woncheon-dong, Yeongtong-gu, Suwon 16944, South Korea. ² Department of Chemical and Biomolecular Engineering, KAIST, Daejeon 34141, South Korea.

Acknowledgements

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Availability of data and materials

Not applicable.

Consent for publication

Not applicable.

Ethics approval and consent to participate

Not applicable.

Funding

This work was supported by a National Research Foundation of Korea Grant funded by the South Korean Government (2012M1A2A2671691, 2009-0093826).

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 1 August 2017 Accepted: 2 April 2018

Published online: 07 April 2018

References

- Boyle PM, Silver PA. Parts plus pipes: synthetic biology approaches to metabolic engineering. *Metab Eng*. 2012;14(3):223–32.
- Connor MR, Atsumi S. Synthetic biology guides biofuel production. *J Biomed Biotechnol*. 2010;2010. <https://doi.org/10.1155/2010/541698>.
- Guiziou S, Sauveplane V, Chang HJ, Clerle C, Declerck N, Jules M, Bonnet J. A part toolbox to tune genetic expression in *Bacillus subtilis*. *Nucleic Acids Res*. 2016;44(15):7495–508.
- Shiue E, Prather KLJ. Synthetic biology devices as tools for metabolic engineering. *Biochem Eng J*. 2012;65:82–9.
- Alper H, Fischer C, Nevoigt E, Stephanopoulos G. Tuning genetic control through promoter engineering. *Proc Natl Acad Sci USA*. 2006;103:12678–83.
- Nevoigt E, Kohnke J, Fischer CR, Alper H, Stahl U, Stephanopoulos G. Engineering of promoter replacement cassettes for fine-tuning of gene expression in *Saccharomyces cerevisiae*. *Appl Environ Microbiol*. 2006;72(8):5266–73.
- Blazeck J, Alper HS. Promoter engineering: recent advances in controlling transcription at the most fundamental level. *Biotechnol J*. 2013;8(1):46–58.
- Hammer K, Mijakovic I, Jensen PR. Synthetic promoter libraries—tuning of gene expression. *Trends Biotechnol*. 2006;24(2):53–5.
- Watanabe D, Kaneko A, Sugimoto Y, Ohnuki S, Takagi H, Ohya Y. Promoter engineering of the *Saccharomyces cerevisiae* RIM15 gene for improvement of alcoholic fermentation rates under stress conditions. *J Biosci Bioeng*. 2017;123(2):183–9.
- Gilman J, Love J. Synthetic promoter design for new microbial chassis. *Biochem Soc Trans*. 2016;44(3):731–7.
- Mahr R, von Boeselager RF, Wiechert J, Frunzke J. Screening of an *Escherichia coli* promoter library for a phenylalanine biosensor. *Appl Microbiol Biotechnol*. 2016;100(15):6739–53.
- Schofield DM, Templar A, Newton J, Nesbeth DN. Promoter engineering to optimize recombinant periplasmic Fab' fragment production in *Escherichia coli*. *Biotechnol Prog*. 2016;32(4):840–7.
- Hwang HJ, Kim JW, Ju SY, Park JH, Lee PC. Application of an oxygen-inducible *nar* promoter system in metabolic engineering for production of biochemicals in *Escherichia coli*. *Biotechnol Bioeng*. 2017;114(2):468–73.
- Pröschel M, Detsch R, Boccaccini AR, Sonnenwald U. Engineering of metabolic pathways by artificial enzyme channels. *Front Bioeng Biotechnol*. 2015;3:168.
- Castellana M, Wilson MZ, Xu Y, Joshi P, Cristea IM, Rabinowitz JD, Gitai Z, Wingreen NS. Enzyme clustering accelerates processing of intermediates through metabolic channeling. *Nat Biotechnol*. 2014;32(10):1011–8.
- Chubukov V, Mukhopadhyay A, Petzold CJ, Keasling JD, Martin HG. Synthetic and systems biology for microbial production of commodity chemicals. *NPJ Syst Biol Appl*. 2016;2:16009.
- Zhou L, Zuo ZR, Chen XZ, Niu DD, Tian KM, Prior BA, Shen W, Shi GY, Singh S, Wang ZX. Evaluation of genetic manipulation strategies on D-lactate production by *Escherichia coli*. *Curr Microbiol*. 2011;62(3):981–9.
- Liu M, Tolstorukov M, Zhurkin V, Garges S, Adhya S. A mutant spacer sequence between –35 and –10 elements makes the Plac promoter hyperactive and cAMP receptor protein-independent. *Proc Natl Acad Sci USA*. 2004;101(18):6911–6.
- Nielsen DR, Yoon SH, Yuan CJ, Prather KL. Metabolic engineering of acetoin and meso-2,3-butanediol biosynthesis in *E. coli*. *Biotechnol J*. 2010;5(3):274–84.
- Hook-Barnard IG, Hinton DM. The promoter spacer influences transcription initiation via $\sigma 70$ region 1.1 of *Escherichia coli* RNA polymerase. *Proc Natl Acad Sci USA*. 2009;106(3):737–42.
- Hwang HJ, Park JH, Kim JH, Kong MK, Kim JW, Park JW, Cho KM, Lee PC. Engineering of a butyraldehyde dehydrogenase of *Clostridium saccharoperbutylacetonicum* to fit an engineered 1,4-butanediol pathway in *Escherichia coli*. *Biotechnol Bioeng*. 2014;111(7):1374–84.
- Yoo TH, Link AJ, Tirrell DA. Evolution of a fluorinated green fluorescent protein. *Proc Natl Acad Sci USA*. 2007;104(35):13887–90.
- Kim SH, Park YH, Schmidt-Dannert C, Lee PC. Redesign, reconstruction, and directed extension of the *Brevibacterium linens* C40 carotenoid pathway in *Escherichia coli*. *Appl Environ Microbiol*. 2010;76(15):5199–206.
- Brown JL, Ross T, McMeekin TA, Nichols PD. Acid habituation of *Escherichia coli* and the potential role of cyclopropane fatty acids in low pH tolerance. *Int J Food Microbiol*. 1997;37(2–3):163–73.
- Cavaleiro AM, Kim SH, Seppala S, Nielsen MT, Norholm MH. Accurate DNA assembly and genome engineering with optimized uracil excision cloning. *ACS Synth Biol*. 2015;4(9):1042–6.
- Nørholm MH. A mutant Pfu DNA polymerase designed for advanced uracil-excision DNA engineering. *BMC Biotechnol*. 2010;10(1):1–7.
- Gonzalez MD, Lichtensteiger CA, Caughlan R, Vimr ER. Conserved filamentous prophage in *Escherichia coli* O18:K1:H7 and *Yersinia pestis* biovar orientalis. *J Bacteriol*. 2002;184:6050–5.
- Jung YK, Kim TY, Park SJ, Lee SY. Metabolic engineering of *Escherichia coli* for the production of polylactic acid and its copolymers. *Biotechnol Bioeng*. 2010;105(1):161–71.
- Han SJ, Chang HN, Lee J. Characterization of an oxygen-dependent inducible promoter, the *nar* promoter of *Escherichia coli*, to utilize in metabolic engineering. *Biotechnol Bioeng*. 2001;72(5):573–6.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

